

SAFETY DATA SHEET (SDS)

Section 1. Identification				
Product identifier	UV CLEAR A40	NY		
Other means of identification FCL-A40NYA				
Recommended use and restrictions on use UV screen printing inks and varnishes.				
Initial supplier identifier	er identifier Aria Inks. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000			
Emergency telephone number/restriction on use Canada – CANUTEC Number 24 hours 613-996-6666				
Section 2. Hazard Identification				

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity, oral (Category 4)

Skin corrosion/irritation (Category 2)

Skin sensitisation (Category 1)

Serious eye damage/eye irritation (Category 2A)

Reproductive toxicity (Category 2)

Hazardous to the aquatic environment acute hazard (Category 2)

Hazardous to the aquatic environment short/long term hazard (Category 3)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





Warning

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H361 May damage fertility or the unborn child

H401Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

Prevention

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment. P280 Wear gloves/protective clothing/gloves/eye protection/face protection

Response

IF SWALLOWED: P301 + P312 Call a Poison Center/doctor if you feel unwell. P330 Rinse mouth

IF ON SKIN: P302+P352 Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.

IF EXPOSED OR CONCERNED: P308 + P313 Get medical advice/attention

Storage

P405 Store locked up.

Other hezerde known None

Disposal

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other nazards known None					
Section 3. Composition/Information on Ingredients					
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*			
Acrylic oligomer		30 - 70 %			
Vinyl Monomers		1 - 10 %			
Acrylated Monomer		20 – 50 %			
Photoinitiator					
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	1 - 10 %			
2-Hydroxy-2-methyl-1-phenyl-propan-1-one	7473-98-5	1 - 10 %			
Resin		10 – 30 %			
Oxybis(methyl-2, 1-ethanediyl) diacrylate	57472-68-1	1 – 10 %			

*Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s)



Section 4. First-Aid Measures					
Inhalation	IF INHALED: If overexposure remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial				
	respiration or give oxygen by trained personnel. If symptoms persist, seek medical attention.				
Ingestion	IF SWALLOWED: Immediately call a doctor. Do NOT induce vomiting. Prevent aspiration of vomit. Rinse mouth thoroughly				
	with water. Never give anything by mouth if the victim is rapidly losing consciousness, or is unconscious or convulsing.				
Skin contact	IF ON SKIN: Remove contaminated clothing, wash immediately with soap and water (20 - 30 minutes). If skin irritation				
	occurs: Get medical attention. Wash contaminated clothing before reuse. Discard or decontaminate footwear before reuse.				
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and easy to				
	do. Continue rinsing. If eye irritation persists: Get medical attention.				
Most important symptoms and effects (acute or delayed)		Harmful if swallowed. Causes skin irritation. May cause an allergic skin			
_		reaction. Causes serious eye irritation. May damage fertility or the unborn			
		child.			
Indication of immediate medical attention/special treatment		In all cases, call a doctor. Do not forget this document.			
Costion 5 Fine Fielding Magning					

Section 5. Fire-Fighting Measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon monoxide and dioxide, nitrogen oxides, acrid fumes and smoke.

Suitable and unsuitable extinguishing media

In case of fire: Use Carbon dioxide, dry chemical, foam, water spray, water.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. Eliminate all ignition sources (no smoking, flares, sparks or flames) in immediate area. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Methods and materials for containment and cleaning up

Avoid prolonged exposure. Stop leak if you can do it without risk. Spill should be contained with inert material and disposed into suitable retaining area. Do not touch or walk through spilled material. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Dispose of in accordance with local, provincial and federal regulations.

Section 7. Handling and Storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails/face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labeled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Storage temperature: 15 - 27 °C.

Section 8. Exposure Controls/Personal Protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH – TLV-TWA Not available

Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: use suitable protective clothing to prevent any possibility of skin contact; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

Section 9. Physical and Chemical Properties					
Appearance, physical state/colour Liquid Vapour pressure Not available					
Odour Slightly acrylic odour	Vapour density Not available				
Odour threshold Not available	Relative density Not available				



pH Not available	Solubility Insoluble	
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available	
Initial boiling point/range Not available	Auto-ignition temperature Not available	
Flash point > 100 °C (212 °F)	Decomposition temperature Not available	
Evaporation rate Not available	Viscosity Not available	
Flammability (solids and gases) Not available	VOC Not available	
Upper and lower flammability/explosive limits Not available	Other None known	

Section 10. Stability and Reactivity

Reactivity

Stable under normal conditions.

Chemical stability

Yes, Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

Non under normal conditions of storage and use.

Conditions to avoid (static discharge, shock or vibration)

Heat and sun light; the product must be stored in a dry and dark area; the temperature must not exceed 27 deg. C.

Incompatible materials

Avoid contact with strong oxidizing agents, peroxides or other polymerisation initiators, strong acid or bases, metallic powders or pigments.

Hazardous decomposition products

Carbon mono and dioxide, nitrogen oxides, other toxic fumes.

Section 11. Toxicological Information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility or the unborn child.

Symptoms related to the physical, chemical and toxicological characteristics

No specific information available.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization - May cause allergic skin reaction. Respiratory Sensitization - May cause severe respiratory system irritation;

Germ Cell Mutagenicity - Not available; Carcinogenicity - Not available; Reproductive Toxicity - Not available;

Specific Target Organ Toxicity — Single Exposure – Not available; Specific Target Organ Toxicity — Repeated Exposure – Not available;

Aspiration Hazard – May cause respiratory sensitization. Repeated or prolonged inhalation may cause toxic effects; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

Acrylic Oligomer LD_{50} Oral – No data; LD_{50} Dermal – Rat >5000 mg/kg; LC_{50} Inhalation –No data; Acrylated Monomer LD_{50} Oral – Rat >5000 mg/kg; LD_{50} Dermal – Rabbit 3600 mg/kg; LC_{50} Inhalation – Rat 4hr No data; CAS 7473-98-5 LD_{50} Oral – Rat 1.694.0 mg/kg; LD_{50} Dermal – Rat 6.929.0 mg/kg; LC_{50} Inhalation – Rat 1.694.0 mg/l 4hr; CAS 57472-68-1 LD_{50} Oral – Rat 3530 mg/kg; LD_{50} Dermal – Rabbit >2000 mg/kg; LC_{50} Inhalation – Rat 4hr No data; ATE not available in this document.

Section 12. Ecological Information

${\bf Ecotoxicity} \ ({\bf aquatic} \ {\bf and} \ {\bf terrestrial} \ {\bf information})$

Fish toxicity Acrylated Monomer LC50 1 - 10 mg/l (Freshwater - 96h); CAS 7473-98-5 LC50 160 mg/l (Leuciscus idus – Golden Orfe - 48h); CAS 75980-60-8 LC50 ~6.53 mg/l (Oryzias latipes – Red killifish - 48h); CAS 57472-68-1 LC50 1 - 10 mg/l (Freshwater - 96h).

Invertebrate toxicity Acrylic Oligomer EC50 I – 10 mg/l (Daphnia magna - 48h); CAS 7473-98-5 EC50 >119 mg/l (Daphnia magna - 48h); CAS 75980-60-8EC50 10 – 3.53 mg/l Daphnia magna 48h); CAS 57472-68-1 EC50 10 - 100 mg/l (Water Flea (Daphnia magna - 48h).

Aquatic plant and Algae toxicity Acrylated Monomer EC50 Test Growth Inhibition 1 – 10 mg/L (Algae 72h); CAS 7473-98-5 EC50 1.95 mg/L (Desmodesmus subspicatus 72h); CAS 75980-60-8 EC20 > 1000 mg/L (Activated sludge 3h); EC80 > 1000 mg/L (Activated sludge 3h); CAS 57472-68-1 EC50 Test Growth Inhibition 10 – 100 mg/L (Algae 72h)

Persistence and degradability

CAS: 7473-98-5: Water degradation (%) 90-100: 28 days; CAS: 75980-60-8: Water degradation (%) 70-80: 14 days. CAS 57472-68-1 >70% 28 days ready biodegradable.

Bioaccumulative potential CAS: 7473-98-5: Bioaccumulation is unlikely; CAS: 75980-60-8: (BCF: ~22 – 32, Freshwater fish.

Mobility in soil No data available

Other adverse effects Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Section 13. Disposal Considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport Information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

Non regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

Non regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)



Non regulated					
Special precaut	ions (transport/conveyance) None				
Environmental	hazards (IMDG or other) None				
Bulk transport (usually more than 450 L in capacity) None					
	Section 15. Regulatory Information				
Safety/health Canadian regulations specifics This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).					
Environmental	Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL				
Safety/health/er	nvironmental outside regulations specifics				
	SHA information: This product is regulated according to OSHA (29 CFR).				
	PA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.				
United States TC	CSA information: Refer to the ingredients listed in Section 3.				
	Section 16. Other Information				
Date of the lates	st revision of the safety data sheet September 07, 2018 - version 01				
References	Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu				
Abbreviations					
ACGIH	American Conference of Governmental Industrial Hygienists				
ATE	Acute toxicity estimate				
CAS	Chemical Abstract Service				
DSL	Domestic Substance List				
IARC	International Agency for Research on Cancer				
IATA	International Air Transport Association				
IMDG	International Maritime Dangerous Goods Code				
LC	Lethal concentration				
LD	Lethal Dosage				
NIOSH	National Institute for Occupational Safety and Health				
NTP	National Toxicology Program (U.S.A.)				
OSHA	Occupational Safety and Health Administration (U.S.A.)				
PEL	Permissible Exposure Limit				
STEL	Short-term Exposure Limit				
TDG	Transport of dangerous goods in Canada				
TLV	Threshold Limit Value				
TSCA	Toxic Substances Control Act				
TWA	Time Weighted Average				
WHMIS	WHMIS Workplace Hazardous Materials Information System				

DISCLAMER: ARIA INKS expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product.