

SAFETY DATA SHEET (SDS)

SHEIT BITTI (SDS)			
Section 1. Identification			
Product identifier	ES		
Other means of identification FES			
Recommended use and restrictions on use UV screen printing inks and varnishes			
Initial supplier identifier Aria Inks. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000			
Emergency telephone number/restriction on use Canada – CANUTEC Number 24 hours 613-996-6666			
Continu 2 Housel Identification			

Section 2. Hazard Identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity, oral, dermal and inhalation (Category 4)

Skin corrosion/irritation (Category 2)

Skin sensitisation (Category 1)

Serious eye damage/eye irritation (Category 2A)

Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3)

Reproductive toxicity (Category 1B)

Hazardous to the aquatic environment acute hazard (Category 3)

Hazardous to the aquatic environment short/long term hazard (Category 3)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





Warning

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H360 May damage fertility or the unborn child

H402 Harmful to aquatic life

H412 Harmful to aquatic life with long lasting effects

Prevention

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment P280 Wear gloves/protective clothing/gloves/eye protection/face protection.

Response

IF SWALLOWED: P301 + P312 call a POISON CENTER if you feel unwell. P330 Rinse mouth.

IF ON SKIN: P302+P352 Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

IF INHALED: P304 + P340 Remove person to fresh air and keep comfortable for breathing. P312 call a POISON CENTER if you feel unwell.

IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.

IF EXPOSED OR CONCERNED: P308 + P313 Get medical advice/attention

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None			
Section 3. Composition/Information on Ingredients			
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*	
Acrylic Oligomer		30 - 70 %	
Vinyl Monomer		3 - 20 %	
Acrylated Monomer		5 – 20%	
Photoinitiator			
2-Methyl-4'-(methylthio)-2-morpholinopropiophenone	71868-10-5	< 10 %	

*Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s)

Section 4. First-Aid Measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration or



ve oxygen by trained personnel. If symptom SWALLOWED: Immediately call a doctor, ything by mouth to an unconscious person.	s persist, seek medical attention. Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give	
	. Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give	
ything by mouth to an unconscious person.		
, , ,		
IF ON SKIN: Remove contaminated clothing, wash immediately with soap and water (20 - 30 minutes). If skin irritation		
occurs: Get medical attention. Wash contaminated clothing before reuse. Destroy or thoroughly clean shoes before reuse.		
IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and easy to		
do. Continue rinsing. If eye irritation persists: Get medical attention.		
Most important symptoms and effects (acute or delayed) Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation		
	May cause an allergic skin reaction. Causes serious eye irritation. May cause	
respiratory irritation. May damage fertility or the unborn child.		
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.		
Section 5. Fire-Fighting Measures		
	ON SKIN: Remove contaminated clothing, curs: Get medical attention. Wash contamin IN EYES, Rinse cautiously with water for . Continue rinsing. If eye irritation persists: ptoms and effects (acute or delayed) ate medical attention/special treatment	

Specific hazards of the hazardous product (hazardous combustion products)

Carbon monoxide and dioxide, nitrogen oxides, acrid fumes and smoke.

Suitable and unsuitable extinguishing media

In case of fire: Carbon dioxide, dry chemical, foam, water spray, water.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. Eliminate all ignition sources (no smoking, flares, sparks or flames) in immediate area. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Methods and materials for containment and cleaning up

Avoid prolonged exposure. Stop leak if you can do it without risk. Spill should be contained with inert material and disposed into suitable retaining area. Do not touch or walk through spilled material. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Take precautionary measures against static discharges. Dispose of in accordance with local, provincial and federal regulations.

Section 7. Handling and Storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails/face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labeled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Storage temperature: 15 - 27 °C.

Section 8. Exposure Controls/Personal Protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH – TLV-TWA: Acrylic Oligomer-ACGIH(TLV): 0.2 mg/m³ Sn (STEL) (Skin)

Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: use suitable protective clothing to prevent any possibility of skin contact; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

Section 9. Physical and Chemical Properties				
Appea	arance, physical state/colour	Liquid or paste (thixotropic)	Vapour pressure	Not available
Odour Slightly acrylic odour		Vapour density	Not available	
Odou	Odour threshold Not available Relative density Not available			
pH Not available		Solubility Insol	uble	



Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available		
Initial boiling point/range Not available	Auto-ignition temperature Not available		
Flash point > 100 °C (212 °F)	Decomposition temperature Not available		
Evaporation rate Not available	Viscosity Not available		
Flammability (solids and gases) Not available	VOC Not available		
Upper and lower flammability/explosive limits Not available	Other None known		
Section 10. Stability and Reactivity			

Reactivity

Stable under normal conditions.

Chemical stability

Yes, Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

Non under normal conditions of storage and use.

Conditions to avoid (static discharge, shock or vibration)

Heat and sun light; the product must be stored in a dry and dark area; the temperature must not exceed 27 deg. C.

Incompatible materials

Avoid contact with Strong oxidizing agents, peroxides or other polymerisation initiators, strong acid or bases, metallic powders or pigments.

Hazardous decomposition products

Carbon mono and dioxide, nitrogen oxides, other toxic fumes.

Section 11. Toxicological Information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May damage fertility or the unborn child.

Symptoms related to the physical, chemical and toxicological characteristics

No specific information available.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – May cause allergic skin reaction. Respiratory Sensitization – May cause severe respiratory system irritation;

Germ Cell Mutagenicity – Not available; Carcinogenicity – Not available; Reproductive Toxicity – Not available;

Specific Target Organ Toxicity — Single Exposure – Not available; Specific Target Organ Toxicity — Repeated Exposure – Not available;

Aspiration Hazard - May cause respiratory sensitization; Health Hazards Not Otherwise Classified - No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

CAS 71868-10-5 LD₅₀ Oral - Rat -male and female- 1984 mg/kg; LD₅₀ Dermal - Rat -male and female >2000 mg/kg; LC₅₀ Inhalation No data available; Acrylic Oligomer: LD₅₀ Oral – Rat >2000 mg/kg; LD₅₀ Dermal – Rabbit >2000 mg/kg; LC₅₀ Inhalation – Rat > 5 mg/L-4h; ATE not available in this document.

Section 12. Ecological Information

Ecotoxicity (aquatic and terrestrial information)

Fish toxicity CAS: 71868-10-5:semi-static test LC50: 9 mg/L (Danino rerio(Zebra fish), 96h); Acrylic Oligomer LC50 4,5 to 10 mg/L (Leuciscus idus - 96h); LC50 2 mg/l (Oryzias latipes - 48h);

Invertebrate toxicity CAS: 71868-10-5:semi-static test: EC50: 15.3 mg/L (Daphnia magna (water flea) 24h).; Acrylic Oligomer EC50 88.7 mg/L (48h, Water Flea (Daphnia magna)

Aquatic plant and Algae toxicity CAS: 71868-10-5: Growth inhibition EC50: 1.6 mg/L (Desmodesmus subspicatus (Scenedesmus subspicatus) 72h). Acrylic Oligomer EC50 > 28 mg/L (Desmodesmus subspicatus 72h).

Toxicity to bacteria CAS: 71868-10-5: Respiration inhibition EC50: >100 mg/L (Sludge Treatment 30 min).

Persistence and degradability CAS: 71868-10-5: Result: 1% - Not readily biodegradable.

Bioaccumulative potential No data available.

Mobility in soil No data available

Other adverse effects Harmful to aquatic life with long lasting effects.

Section 13. Disposal Considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport Information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

Non regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

Non regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

Non regulated

Special precautions (transport/conveyance)	None		
Environmental hazards (IMDG or other) None			

Bulk transport (usually more than 450 L in capacity)

None



		Section 15. Regulatory Information	
Safety/health Canadian regulations specifics		This product has been classified in accordance with the hazard criteria of the Hazardous Products	
Sarcty/hearth Canadian regulations specifies		Regulations (HPR).	
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL			
Safety/health/environmental outside regulations specifics			
	United States OSHA information: This product is regulated according to OSHA (29 CFR).		
		ency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.	
	CSA information: Refer to the ingr		
California Propo	sition 65: This product does not c	ontain an ingredient known to the State of California to cause cancer or other reproductive harm	
_	•	Section 16. Other Information	
Date of the latest revision of the safety data sheet September 07, 2018 - version 01			
References	Safety Data Sheets from manufacture	cturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu	
Abbreviations			
ACGIH	American Conference of Govern	nmental Industrial Hygienists	
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Asso	ociation	
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials	s Information System	

DISCLAMER: ARIA INKS expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product.