

UV Screen Printing Ink – *UV OVERPRINT VARNISH MAT 90*

SECTION 1 – PRODUCT AND COMPANY INFORMATION

Manufacturer: ARIA Inks

1120, rue de l'Express WHMIS CODES
Terrebonne, Quebec HEALTH 2
J6W 5H2 FLAMMABILITY 1
Tel: 450-966-9000 REACTIVITY 1

Products Name: UV OVERPRINT VARNISH MAT 90

WHMIS

Classification: Most of the components are classified D2B.

TDG classification: Not regulated Chemical Name: Not applicable

Chemical Family: Mixture of acrylic compounds

Material Use: Screen printing inks

In case of an emergency call ARIA Inks (1-450-966-9000)

SECTION 2 – INFORMATION ON INGREDIENTS

Components	%	CAS #	LD 50	LC 50
Acrylic resin	7-10	Trade Secret	NA	NA
Acrylic monomer	10-15	Trade Secret	5g/kg	NA
Acrylic oligomer	10-60	Trade Secret	NA	NA
Acrylic monomer	10-15	Trade Secret	NA	NA

This ink series does not contain following dangereous components:

Analitical values	Maximum Value	
(mg/kg)	(mg/kg)	
Not Detectable	60	
Not Detectable	25	
Not Detectable	1000	
Not Detectable	75	
Not Detectable	60	
Not detectable	60	
Not Detectable	90	
Not Detectable	500	
	(mg/kg) Not Detectable	



SECTION 3 – HAZARDS IDENTIFICATION

Routes of Entry: Skin-yes; eyes-yes; inhalation-yes; ingestion-possible;

Effects of Acute Exposure to Product

Acute Eye: May cause corneal injury.

Acute Skin: Can cause skin irritation with prolonged or repeated contact. Skin

irritation may not occur immediately, exposure may go unnoticed. Some individuals may experience sensitization after repeated or

prolonged contact.

Acute Inhalation: Low volatility makes vapour inhalation unlikely.

Acute Ingestion: Immediately seek medical assistance.

Effects of Chronic Exposure to Product

Long term exposure may result in dermatitis or respiratory sensitization.

SECTION 4 – FIRST AID MEASURES

Inhalation: If breathing difficulties or headache occurs due to overexposure,

remove person to fresh air. If breathing persists to be difficult, get

medical attention immediately.

Eye Contact: Flush with water for 20-30 minutes. Retract eyelids often. Obtain

medical attention immediately.

Skin Contact: Remove contaminated clothing. Wash immediately with soap and

water for 20-30 minutes. If symptoms persist, seek medical

attention.

Ingestion: Ingestion is unlikely. However, if ingested obtain medical

attention.

SECTION 5 – FIRE FIGHTING MEASURES

Flammability: Non flammable; all components have flash points >212 F; Extinguishing Media: Carbon dioxide, dry chemical, foam, water spray, water

Flash Point: NA; all components have flash points > 212 F.

Flammability Limits: NA

Hazardous Combustion

Products: Carbon monoxide and dioxide, nitrogen oxides, acrid fumes and

smoke.

Auto Ignition

Temperature: NA



SECTION 6 – ACCIDENTAL RELEASE MEASURES

Avoid prolonged exposure. Spill should be contained with inert material and disposed into suitable retaining area. Small volumes of liquid may be contained or absorbed into an appropriate absorbent.

SECTION 7 – HANDLING AND STORAGE

Store in a ventilated area. Do not exceed 27 deg.C. Keep containers closed when not in use. Avoid inhalation. Hands should be washed with soup and plenty of water after contact with UV materials. Do not drink or eat during work with UV materials. If skin contact occurs, immediately wash thoroughly with plenty of soap and water. Solvents should not be used for cleaning the hands or skin, as they increase the penetration of these materials into the skin.

Storage requirements: Store in a cool, well-ventilated area, between 15-27 deg C. Keep away from incompatibles. Do not handle or store near open flames, heat or other sources of ignition.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Protection equipment is necessary. Neoprene gloves, safety glasses, protective clothing.

Respiratory: Use respiratory protection equipment is recommended.

Skin: Use neoprene gloves.

Eyes: Use appropriated protection glasses.

General mechanical ventilation may be sufficient to maintain safe vapour concentrations.

If general ventilation proves inadequate to maintain safe vapour concentration,

supplemental local exhaust may be required. Other special precautions such as respiratory masks or environmental containment devices may be required in extreme cases.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Odour: Slightly acrylic odour

Vapour Pressure: NA Vapour Density: NA Evaporation Rate: NA

Boiling Point: Not applicable pH: Not applicable

February 1, 2015

Solubility in water: Insoluble Specific gravity: (water=1) approx. 1

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Yes- under normal conditions.

Conditions to Avoid: Heat and sun light; the product must be stored in a dry and dark

area; the temperature must not exceed 27 deg. C.

Substances to Avoid: Strong oxidizing agents, peroxides or other polymerisation

initiators, strong acid or bases, metallic powders or pigments.

Hazardous Decomposition

Products: Carbon mono and dioxide, nitrogen oxides, other toxic fumes.

SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of Entry: Skin-yes; eyes-yes; inhalation-yes; ingestion-possible;

Acute Eye: May cause corneal injury.

Acute Skin: Can cause skin irritation with prolonged or repeated contact.

Acute Inhalation: Low volatility makes vapour inhalation unlikely.

Acute Ingestion: Immediately seek medical assistance.

Long term exposure may result in dermatitis or respiratory sensitization.

SECTION 12 – ECOLOGICAL INFORMATION

Not available any information regarding the environmental impact of this product. Do not deposit this product near the water sources, rivers or places where can come in contact with subterranean waters.

SECTION 13 – DISPOSAL CONSIDERATIONS

Keep away from all watercourses. Do not flush down storm or sanitary sewer. Dispose of in accordance with local, provincial and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

No special shipping information available. This product is not considered as dangerous material for transport purposes.



SECTION 15 – REGULATORY INFORMATION

This product is not regulated or dangerous or hazardous or not restricted for transport by air.

According to present regulations this product was identified and labelled as non dangerous product.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

SECTION 16 – OTHER INFORMATION

All information contained in this document is based on our best knowledge and is considered as exact and valid. Nevertheless this document has not to be interpreted as warranty for the product performances or its properties and suitability for different applications. Aria Inks expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product.

Prepared by: Radu Paul Preparation Date: 1st of February, 2015