

SAFETY DATA SHEET (SDS)

SHIELL (SES)			
Section 1. Identification			
Product identifier	A40		
Other means of identification FA40			
Recommended use and restrictions on use UV screen printing inks		UV screen	printing inks and varnishes
Initial supplier identifier	ifier Aria Inks. 101-1079, rue des Forges, Terrebonne, QC, J6Y 0J9 (Canada) Tél. (450) 966-9000		
Emergency telephone number/restriction on use		use Car	nada – CANUTEC Number 24 hours 613-996-6666

Section 2. Hazard Identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity, oral and inhalation (Category 4)

Skin corrosion/irritation (Category 2)

Skin sensitisation (Category 1)

Serious eye damage/eye irritation (Category 2A)

Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3)

Reproductive toxicity (Category 1B)

Hazardous to the aquatic environment short/long term hazard (Category 3)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





Warning

H302+H332 Harmful if swallowed, if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H360 May damage fertility or the unborn child

H412 Harmful to aquatic life with long lasting effects

Prevention

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well ventilated area P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment P280 Wear gloves/protective clothing/gloves/eye protection/face protection

Response

IF SWALLOWED: P301 + P312 Call a Poison Center/doctor if you feel unwell. P330 Rinse mouth.

IF ON SKIN: P302+P352 Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

IF INHALED: P304 + P340 Remove person to fresh air and keep comfortable for breathing. P312 Call a Poison Center/doctor if you feel unwell.

IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.

IF EXPOSED OR CONCERNED: P308 + P313 Get medical advice/attention

Environment P391 Collect spillage

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None

Section 3. Composition/Information on Ingredients			
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*	
Acrylic Oligomer		< 60 %	
Blend of acrylated Monomers		< 20 %	
Vinyl Monomer		< 10 %	
Glycol Ether Acrylated Monomer		< 10 %	
Photoinitiator			
2-Methyl-4'-(methylthio)-2-morpholinopropiophenone	71868-10-5	< 10 %	

*Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s)

Section	4	First-	hiA	Measures
occuon	т.	TH St-	Alu	Micasuics

Inhalation	IF INHALED: If overexposure remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial
İ	respiration or give oxygen by trained personnel. If symptoms persist, seek medical attention.



Ingestion	IF SWALLOWED: Immediately call a doctor. Rinse mouth thoroughly with water. Never give anything by mouth if the victim		
	is rapidly losing consciousness, or is unconscious or convulsing.		
Skin contact	IF ON SKIN: Remove contaminated clothing, wash immediately with soap and water (20 - 30 minutes). If skin irritation		
	occurs: Get medical attention. Wash contaminated clothing before reuse. Discard or decontaminate footwear before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and easy to		
	do. Continue rinsing. If eye irritation persists: Get medical attention.		
Most important	Most important symptoms and effects (acute or delayed) Harmful if swallowed, if inhaled. Causes skin irritation. May cause an allergic		
_	skin reaction. Causes serious eye irritation. May cause respiratory irritation		
May damage fertility or the unborn child.			
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.			
Section 5. Fire-Fighting Measures			
G 101 1 1			

Specific hazards of the hazardous product (hazardous combustion products)

Carbon monoxide and dioxide, nitrogen oxides, acrid fumes and smoke.

Suitable and unsuitable extinguishing media

In case of fire: Use Carbon dioxide, dry chemical, foam, water spray, water.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. Eliminate all ignition sources (no smoking, flares, sparks or flames) in immediate area. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Methods and materials for containment and cleaning up

Avoid prolonged exposure. Stop leak if you can do it without risk. Spill should be contained with inert material and disposed into suitable retaining area. Do not touch or walk through spilled material. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Take precautionary measures against static discharges. Dispose of in accordance with local, provincial and federal regulations.

Section 7. Handling and Storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails/face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labeled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Storage temperature: 15 - 27 °C.

Section 8. Exposure Controls/Personal Protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH - TLV-TWA Not available

Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: use suitable protective clothing to prevent any possibility of skin contact; Respiratory: Not required if working area is well ventilated. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

Section 9. Physical and Chemical Properties					
Appearance, physical state/colour Liquid or paste (thixotropic)	Vapour pressure No available				
Odour Slightly acrylic odour	Vapour density Not available				
Odour threshold Not available	Relative density Not available				
pH Not available	Solubility Insoluble				
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available				



Initial boiling point/range Not available	Auto-ignition temperature Not available
Flash point > 100 °C (212°F)	Decomposition temperature Not available
Evaporation rate Not available	Viscosity Not available
Flammability (solids and gases) Not available	VOC Not available
Upper and lower flammability/explosive limits Not available	Other None known
G 4 40 G 7 1 174	

Section 10. Stability and Reactivity

Reactivity

Stable under normal conditions.

Chemical stability

Yes, Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

Non under normal conditions of storage and use.

Conditions to avoid (static discharge, shock or vibration)

Heat and sun light; the product must be stored in a dry and dark area; the temperature must not exceed 27 deg. C.

Incompatible materials

Avoid contact with Strong oxidizing agents, peroxides or other polymerisation initiators, strong acid or bases, metallic powders or pigments

Hazardous decomposition products

Carbon mono and dioxide, nitrogen oxides, other toxic fumes.

Section 11. Toxicological Information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Harmful if swallowed, if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May damage fertility or the unborn child.

Symptoms related to the physical, chemical and toxicological characteristics

No specific information available.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization - May cause allergic skin reaction. Respiratory Sensitization - May cause severe respiratory system irritation;

Germ Cell Mutagenicity – Not available; Carcinogenicity – Not available; Reproductive Toxicity – Not available;

Specific Target Organ Toxicity — Single Exposure – Not available; Specific Target Organ Toxicity — Repeated Exposure – Not available; Aspiration Hazard – May cause irritation to respiratory track, difficulty breathing; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

CAS 71868-10-5 LD_{50} Oral – Rat –male and female- 1984 mg/kg; LD_{50} Dermal – Rat –male and female >2000 mg/kg; LC_{50} Inhalation No data available; Acrylic Oligomer LD_{50} Oral – Rat > 5000 mg/kg; LD_{50} Dermal – Rabbit >2000 mg/kg; LC_{50} Inhalation – Rat 4hr No data ; ATE not available in this document.

Section 12. Ecological Information

Ecotoxicity (aquatic and terrestrial information)

Fish toxicity CAS: 71868-10-5:semi-static test LC50: 9 mg/L (Danino rerio(Zebra fish), 96h)

Invertebrate toxicity CAS: 71868-10-5:semi-static test: EC50: 15.3 mg/L (Daphnia magna (water flea) 24h).

Aquatic plant and Algae toxicity CAS: 71868-10-5: Growth inhibition EC50: 1.6 mg/L (Desmodesmus subspicatus (Scenedesmus subspicatus) 72h).

Toxicity to bacteria CAS: 71868-10-5: Respiration inhibition EC50: >100 mg/L (Sludge Treatment 30 min)

Persistence and degradability CAS: 71868-10-5: Result: 1% - Not readily biodegradable.

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects Harmful to aquatic life with long lasting effects.

Section 13. Disposal Considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Section 14. Transport Information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

Non regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

Non regulated

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

Non regulated

Special precautions (transport/conveyance)NoneEnvironmental hazards (IMDG or other)None

Bulk transport (usually more than 450 L in capacity) None

Section 15. Regulatory Information

Safety/health Canadian regulations specifics This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).



Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL

Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.

United States TCSA information: Refer to the ingredients listed in Section 3.

California Proposition 65: This product does not contain an ingredient known to the State of California to cause cancer or other reproductive harm

Section 16. Other Information

Date of the lates	st revision of the safety data sheet	September 07, 2018 - version 01	
References	Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu		
Abbreviations			

ACGIH American Conference of Governmental Industrial Hygienists
ATE Acute toxicity estimate
CAS Chemical Abstract Service
DSL Domestic Substance List

IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods Code

LC Lethal concentration LD Lethal Dosage

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit STEL Short-term Exposure Limit

TDG Transport of dangerous goods in Canada

TLV Threshold Limit Value
TSCA Toxic Substances Control Act
TWA Time Weighted Average

WHMIS Workplace Hazardous Materials Information System

DISCLAMER: ARIA INKS expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product.